BUILDING PERFORMANCE

CLASS 1

# Building Product Information Sheet

Product name:

Ampelite Fasteners

Product line *(the product line from which the product is customised)*:

Fastenings

Product description and its intended use *(measurements, materials, usage)*:

Ampelite fasteners come in a variety of lengths, thicknesses and materials to suit every product range Ampelite offers.
For more information on which fastener is suitable for specific products/instances, please contact your local Ampelite branch.

Product identifier *(if applicable)*:

Place of manufacture: ☐ Aotearoa New Zealand ☑ Overseas

Legal and trading name of the manufacturer(s):

Konnect Fastening Systems source from various quality approved manufactures. Please email sales@ampelite.co.nz for more info.

Legal and trading name of the importer *(if applicable)*:

Konnect Fastening Systems

Address for service:

| | | | |
|---|---|---|---|
| STREET NAME | 79 Captain Springs Road | SUBURB | Onehunga |
| CITY, COUNTRY | Auckland, New Zealand | POSTCODE | 1061 |

Website: www.ampelite.co.nz

Email address: sales@ampelite.co.nz

Phone No. *(if applicable)*: 0800 267 354

NZBN *(if applicable)*: 9429038523199

Relevant Building Code clauses:

Ampelite fasteners will comply with the following
clauses of the New Zealand Building Code.

NZBC B1 Structure

NZBC E2 External Moisture

NZBC F2 Hazardous Building Materials

Statement on how the building product is expected to contribute to compliance:

NZBC B1 Structure
Ampelite fasteners structural strength complies with AS/NZS 3566
section. Pull out values have been tested in accordance with recommendations in
the Metal Roofing Code of Practice.

NZBC E2 External Moisture
The sealing washers used for Ampelite fasteners comply with AS/NZS 3566
section.

NZBC F2 Hazardous Building Materials
Ampelite fasteners meet the performance requirements of F 2.3.1.

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

Contact with corrosive and incompatible materials, prolonged exposure to damp or corrosive internal enviroments must be avoided.

Design requirements that would support the use of the building product:

The length of fastener will depend on the total thickness of the products fixed through and the optimal embedment into the structure combined.

For more information on which fasteners to use, please contact your local Ampelite branch.

Installation requirements:

Installation should be carried out by a suitably qualified practitioner in accordance with good trade practice and Ampelite's installation guidelines found on www.ampelite.co.nz.

Maintenance requirements:

Maintenance must be carried out in accordance with the manufacturer's recommendations.
Screws exhibiting red rust of the shank should be replaced before they affect the durability
of the material being fastened.

Is the building product/building product line subject to warning or ban under section 26?:

☐ Yes ☑ No

If yes, description of the warning or ban under section 26:

Date: 06/12/2023